

Substrate Priming Guide

Substrate	Primer	Ratio Primer:Water	Coverage (kg/m ²)
-----------	--------	-----------------------	----------------------------------

Walls

Brickwork & Dense Blockwork	✓	1:3	0.10
Blockwork (Lightweight)	✓	1:3 - 1:5	0.20 - 0.40
Cement/Sand Render & Concrete	✓	1:3 - 1:5	0.20 - 0.40
Plaster & Plasterboard	✓	1:3 - 1:5	0.20 - 0.40
Cement & Fibre-Mesh Boards	✓	1:3 - 1:5	0.20 - 0.40
Existing Ceramic Tiles	✓	1:1	0.20
Timber	✓	5:1	0.20

Floors

Anhydrite (Calcium Sulphate) Screed	✓	1:3 - 1:5	0.20 - 0.40
Cement/Sand Screed & Porous Concrete	✓	1:3 - 1:5	0.20 - 0.40
Concrete (Power Floated)	✓	1:3	0.10
Existing Ceramic & Vinyl Tiles	✓	1:1	0.15 - 0.20
Steel	✓	5:1	0.20
Timber	✓	5:1	0.20



Ok - Prime with Weber PR360