



MATERIAL SAFETY DATA

EDITION: 3 DATE: February 2007

1. PRODUCT

NAME: **weber.tec latex** (mulsifix latex)

Chemical Nature

An aqueous dispersion of styrene-butadiene copolymer

Manufacturer

Weber

Saint-Gobain Weber Limited
Dickens House
Enterprise Way
Flitwick
Bedford.
MK45 5BY.

EMERGENCY TELEPHONE NUMBER. 08703 330070

2. COMPOSITION

An aqueous dispersion of styrene-butadiene copolymer

3. HAZARDS IDENTIFICATION

Essentially non hazardous. May cause slight irritation to the eyes

4. FIRST AID MEASURES

SKIN CONTACT: Rinse immediately with plenty of water

EYE CONTACT: Immediately rinse with water for a prolonged period whilst keeping the eyes wide open. If irritation persists seek medical attention

INHALATION: Not specifically applicable (aqueous liquid). If breathing stops give artificial respiration

INGESTION: Do not induce vomiting. If casualty is fully conscious, give 500mL (max.) water to drink. See medical attention

5. FIRE FIGHTING MEASURES

All extinguishing media can be used.

Exposure hazards

Aqueous liquid. Does not present any particular risk in the event of fire. On heating there is a risk of a pressure build up in sealed containers.

6. ACCIDENTAL RELEASE MEASURESPersonal Precautions

Wear appropriate personal protective equipment (ref. Section 8)

Environmental Precautions

Avoid direct discharge into drains

Methods for Cleaning

Take up with inert absorbent materials (e.g. sawdust, sand or earth). Dispose of according to local regulations

7. HANDLING AND STORAGEHandling

No specific measures required Storage Store in original containers, tightly closed. Protect from frost and direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTIONTechnical Protective Measures

No specific measures required

Exposure Limits

None

Respiratory Protection

Not normally necessary

Hand Protection

Wear impermeable protective gloves

Eye Protection

Wear safety glasses or goggles Skin Protection Wear overalls and closed footwear

9. PHYSICAL AND CHEMICAL PROPERTIES

White, milky liquid

PH: 7-8

Specific Gravity: 1.02kg/dm³

Miscibility: Miscible in water

10. STABILITY AND REACTIVITY

Stable under normal conditions of use

11. TOXICOLOGICAL INFORMATION

LD50 oral Rat:>2000mg/kg

Repeated prolonged contact may cause slight irritation to the skin

May cause slight temporary irritation to ocular mucous membranes

12. ECOLOGICAL INFORMATION

Not readily biodegradable.

13. DISPOSAL CONSIDERATIONS

Do not allow to enter watercourses or drains.

Coagulate the particles in suspension with either aluminium sulphate or calcium chloride and neutralise the contaminated water prior to disposal (pH 5.5 –8.5)

Dispose of solid residues at a licensed site

14. TRANSPORT INFORMATION

Classification for transport not required

15. REGULATORY INFORMATION

Essentially non hazardous

S Phrases:

S25 Avoid contact with eyes

S37/39 Wear suitable gloves and eye/face protection

16. OTHER INFORMATION

None

This safety sheet has been prepared in accordance with the provisions of the EC SDS Directive 91/155.