

1 Identification of the substance/preparation and of the company/undertaking

Product details

Trade name weber.floor 4716 primer

Safety data sheet no.: 46P219400/1

Application of the substance / the preparation Layer to promote adhesion

Manufacturer/Supplier:

Företag:

maxit AB

Adress:

Box 707

Postnr:

169 27 Solna

Land:

Sverige

Telefon:

++46-(0)8-625 61 00

Fax:

++46-(0)8-625 61 80

Information in case of emergency: Phone: +46(0)141-492 23

2 Composition/information on ingredients


Chemical characterization

Description: Styrene acrylate dispersion

Dangerous components:

CAS: 124-68-5

2-amino-2-methylpropanol

 Xi; R 36/38-52/53 1 - 2%

EINECS: 204-709-8

Additional information For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

Hazard description: Not applicable.

Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

4 First aid measures

General information

No special measures required.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

After eye contact Rinse opened eye for several minutes under running water.

After swallowing If symptoms persist consult doctor.

5 Fire fighting measures

Suitable extinguishing agents

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Protective equipment: No special measures required.

Trade name weber.floor 4716 primer

(Contd. of page 1)

6 Accidental release measures

Person-related safety precautions: Not required.

Measures for environmental protection: No special measures required.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Additional information: No dangerous substances are released.

7 Handling and storage

Handling

Information for safe handling: No special measures required.

Information about fire - and explosion protection: No special measures required.

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

8 Exposure controls and personal protection

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection: Not required.

Protection of hands:

PVC gloves

Neoprene gloves

Eye protection: Goggles recommended during refilling

Body protection: Protective work clothing.

9 Physical and chemical properties:

General Information

Form:	Dispersion
Colour:	White
Odour:	Characteristic

Change in condition

Melting point/Melting range: 0°C (DIN ISO 3016)

Flash point: Not applicable

Self-igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Vapour pressure at 20°C: 23 hPa (DIN 51640)

(Contd. on page 3)

Trade name weber.floor 4716 primer

(Contd. of page 3)

124-68-5 2-amino-2-methylpropanol

EC 10	50 mg/l (pseudomonas putida)
EC50/72h	520 mg/l (scenedesmus subspicatus (Alge))
LC50/48h	193 mg/l (Daphnia magna (großer Wasserfloh)) 331 mg/l (Leuciscus idus (Goldorfe))
LC50/96h	190 mg/l (Sonnenbarsch)

Other information:

124-68-5 2-amino-2-methylpropanol

BSB (5)	< 10 mg O2/g (-)
CSB	2050 mg O2/g (-)

13 Disposal considerations

Product:

Recommendation Smaller quantities can be disposed of with household waste.

Uncleaned packaging:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.
Non contaminated packagings may be recycled.

14 Transport information

Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)

ADR/RID-GGVS/E Class: -

Maritime transport IMDG/GGVSea:

IMDG/GGVSea Class: -

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: -

Transport/Additional information: Not dangerous according to the above specifications.

15 Regulatory information

Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EC Directives and the Ordinance on Hazardous Materials (GefStoffV).

National regulations

Technical instructions (air):

Class	Share in %
NK	1 - 2

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 5)



Material Safety Data Sheet
According to 91/155 EEC

Printing date 26.10.2005

Reviewed on 08.04.2004

Trade name weber.floor 4716 primer

(Contd. of page 4)

Relevant R-phrases*36/38 Irritating to eyes and skin.**52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.***Department issuing MSDS:** R & D Management**Contact:** Sune Sjöström Phone: ++46-(0)141-492 23*** Data compared to the previous version altered.**

GB