



## MATERIAL SAFETY DATA

EDITION: 2 DATE: 17-Jan-07

### 1. PRODUCT

NAME: **weber.sys protect** (fermasec)

Chemical Nature

An aqueous solution of synthetic resins, mineral fillers and additives

Manufacturer

**Weber**

Saint-Gobain Weber Limited  
Dickens House  
Enterprise Way  
Flitwick  
Bedford.  
MK45 5BY.

EMERGENCY TELEPHONE NUMBER. 08703 330070

### 2. COMPOSITION

An aqueous solution of synthetic resins, mineral fillers and additives

EEC Symbol: None

R Phrases: None

### 3. HAZARDS IDENTIFICATION

Essentially non-hazardous

### 4. FIRST AID MEASURES

SKIN CONTACT: Wash with plenty of soap and water

EYE CONTACT: Flush with water immediately for at least 15 minutes. Seek medical attention

INHALATION: Remove affected person to fresh air. If recovery is not rapid, seek medical attention

INGESTION: Rinse mouth immediately with water. Seek medical attention

### 5. FIRE FIGHTING MEASURES

Suitable Extinguishers: All types

Exposure hazards: Fire fighters should wear breathing apparatus

## 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions

Wear suitable protective equipment (see Section 8)

### Environmental Precautions

Material should be disposed of according to local regulations

### Methods for Cleaning

Recover as much as possible and wash the remainder with plenty of water

## 7. HANDLING AND STORAGE

### Handling

No specific precautions necessary.

Wear suitable protective clothing (see Section 8)

### Storage

Store between 5°C and 35°C.

Keep out of direct sunlight.

Store upright in original containers.

Avoid ferrous metals that are not corrosion protected.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Technical Protective Measures

Ensure adequate ventilation

### Exposure Limits

None

### Respiratory Protection

Not normally necessary, unless in a confined space

### Hand Protection

Wear suitable gloves

### Eye Protection

Wear suitable goggles/safety glasses

### Skin Protection

Wear overalls and closed footwear

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Blue liquid paste

Specific Gravity: 1.4g/cm<sup>3</sup> PH: Approx. 8

## 10. STABILITY AND REACTIVITY

Stable under normal conditions of use.

Forms a gel at temperatures exceeding 35°C

### **11. TOXICOLOGICAL INFORMATION**

No specific information available

### **12. ECOLOGICAL INFORMATION**

Do not allow to enter watercourses or drains

### **13. DISPOSAL CONSIDERATIONS**

Dispose of according to local regulations

### **14. TRANSPORT INFORMATION**

Not classified for transport

### **15. REGULATORY INFORMATION**

Symbol: None

Contains: An aqueous solution of synthetic resins, mineral fillers and additives

R Phrases: None

S Phrases

S36 Wear suitable protective clothing

S37 Wear suitable gloves

S39 Wear eye/face protection

### **16. OTHER INFORMATION**

This safety sheet has been prepared in accordance with the provisions of the EC SDS Directive 91/155.