



**MATERIAL SAFETY DATA**

EDITION: 3 DATE: DECEMBER 2004

**1. PRODUCT**

NAME: **renovex P**

Chemical Nature

Ready mixed levelling coat for external or internal wall surfaces prior to application of **santane** or **plastene** coatings

Manufacturer

**Weber**  
Saint-Gobain Weber Limited  
Dickens House  
Enterprise Way  
Flitwick  
Bedford.  
MK45 5BY.

EMERGENCY TELEPHONE NUMBER. 08703 330070

**2. COMPOSITION**

An aqueous acrylic polymer dispersion containing aggregates and additives

**3. HAZARDS IDENTIFICATION**

Essentially non hazardous

**4. FIRST AID MEASURES**

SKIN CONTACT:

Wash off with plenty of soap and water. Do not use organic solvents

EYE CONTACT:

Immediately rinse with water for at least 15 minutes. Seek medical attention

INHALATION:

Move affected person to fresh air. Seek medical attention if necessary.

INGESTION:

Rinse mouth with water immediately. Seek medical attention

**5. FIRE-FIGHTING MEASURES**

The wet material will not burn. Dried films are combustible.

Water, foam, carbon dioxide or dry powder extinguishers are all suitable

Exposure hazards

Do not release chemically contaminated water into drains, soil or surface water. Sufficient

measures must be taken to retain water used for extinguishing. Dispose of contaminated water and soil according to local regulations

## 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions

Avoid contact with skin, eyes and clothing.

### Environmental Precautions

Prevent contamination of soil drains and surface water.

### Methods for Cleaning

Take up with absorbent, dry inert material (e.g. sand) and place in a suitable and closable container for disposal according to local regulations.

## 7. HANDLING AND STORAGE

### Handling

**renovex P** should be handled in accordance with good industrial safety and hygiene practices.

### Storage

Store in original undamaged containers securely closed. Store between 5°C and 35°C, away from direct sunlight. Protect from frost.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Technical Protective Measures

No special measures required

### Exposure Limits

None

### Respiratory Protection

Not necessary. Work in well ventilated area.

### Hand Protection

Wear suitable gloves.

### Eye Protection

Wear suitable goggles or face protection

### Skin Protection

Wear overalls

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White liquid

Odour: Slight characteristic smell of acrylic resin.

pH: Approx. 8

## 10. STABILITY AND REACTIVITY

**renovex P** is stable under normal conditions of use.

#### 11. TOXICOLOGICAL INFORMATION

Long-term experience of handling this type of coating under industrial conditions indicates the absence of any chronic or acute effects.

#### 12. ECOLOGICAL INFORMATION

Prevent contamination of soil, drains or surface water. No other specific information available.

#### 13. DISPOSAL CONSIDERATIONS

**renovex P** is not classified as hazardous waste, but residues should not be discharged to drains without prior consent. Existing local regulations must always be complied with.

#### 14. TRANSPORT INFORMATION

**renovex P** is not classified as hazardous for transportation.

#### 15. REGULATORY INFORMATION

Symbol:  
None

S Phrases:  
S28: After contact with skin, wash immediately with plenty of soap and water.  
S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

#### 16. OTHER INFORMATION

None

This safety sheet has been prepared in accordance with the provisions of the EC SDS Directive 91/155.