



MATERIAL SAFETY DATA

EDITION: 4 DATE: DECEMBER 2004

1. PRODUCT

NAME: **santane sealer**

Chemical Nature

Sealer for use on porous/friable surfaces prior to application of **santane** or **plastene** primers and coatings

Manufacturer

Weber
Saint-Gobain Weber Limited
Dickens House
Enterprise Way
Flitwick
Bedford.
MK45 5BY.

EMERGENCY TELEPHONE NUMBER. 08703 330070

2. COMPOSITION

Polyurethane resin dispersed in white spirit

EEC Symbol: Xn

R Phrases: R10, R65

Contains Low boiling point treated naphtha (white spirit) (CAS No. 64742-48-9) >80%

3. HAZARDS IDENTIFICATION

Flammable

Harmful: may cause lung damage if swallowed

4. FIRST AID MEASURES

SKIN CONTACT:

Wash off with plenty of soap and water. Remove contaminated clothing immediately

EYE CONTACT:

Immediately rinse with water for at least 15 minutes. Seek medical attention

INHALATION:

Move affected person to fresh air. Seek medical attention if necessary.

INGESTION:

Rinse mouth with water immediately. Seek medical attention immediately. Do not induce vomiting.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Carbon dioxide or dry powder.

Do not use water. Fire fighters should wear breathing apparatus.

Exposure hazards

Possible formation of carbon monoxide or carbon dioxide, oxides of nitrogen and other dangerous organic compounds on combustion.

Do not release chemically contaminated water into drains, soil or surface water. Sufficient measures must be taken to retain water used for extinguishing. Dispose of contaminated water and soil according to local regulations

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Do not breathe vapours. No smoking. Avoid sources of ignition.

Environmental Precautions

Prevent contamination of soil drains and surface water.

Methods for Cleaning

Take up with absorbent, dry inert material (e.g. sand) and place in a suitable and closable container for disposal according to local regulations.

7. HANDLING AND STORAGE

Handling

Ensure adequate ventilation. Avoid breathing vapours. Vapours are heavier than air, avoid their accumulation.

Storage

Store in original undamaged containers securely closed. Store between 5°C and 35°C, away from direct sunlight. Store in an adequately bunded area. Store away from any sources of ignition. Avoid static discharges.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Technical Protective Measures

No special measures required. Ensure adequate ventilation of the work area.

Exposure Limits

*

Respiratory Protection

Not normally necessary. Work in well ventilated area. Respiratory protection is only required when working with this material in a confined space.

Hand Protection

Wear suitable gloves.

Eye Protection

Wear suitable goggles or face protection

Skin Protection

Wear overalls

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear liquid
Odour: Petroleum spirit
Flash point: 28°C
Boiling point 130°C

10. STABILITY AND REACTIVITY

santane sealer is stable under normal conditions of use.

11. TOXICOLOGICAL INFORMATION

Can cause lung damage if swallowed.

Inhalation: Irritating to respiratory tract
Skin contact: Irritating to skin
Eye contact: Irritating to eyes

12. ECOLOGICAL INFORMATION

santane sealer is not biodegradable. Prevent contamination of soil, drains or surface water. No other specific information available.

13. DISPOSAL CONSIDERATIONS

This material must be disposed of a Special Waste.

14. TRANSPORT INFORMATION

UN No.: 1866
Packing Group: III

RID/ADR:

Un No. 1866
Class: 3
Label: 3

IMDG:

IMDG Code: 3379
Class: 3.3
Label: 3 flammable liquid
Marine Pollutant: Yes

IATA:

Class: 3
Label: 3

15. REGULATORY INFORMATION

Symbol: Xn, Harmful
Contains: Low boiling point treated naphtha (white spirit) (CAS No. 64742-48-9)

R Phrases:

R10 Flammable

R65 Harmful: may cause ling damage if swallowed

S Phrases:

S23 Do not breathe vapour

S24/25 Avoid contact with skin and eyes

S36/37/39 Wear suitable protective clothing, gloves and eye / face protection.

S62 If swallowed, do not induce vomiting: seek medical advice immediately and show container or label

16. OTHER INFORMATION

None

This safety sheet has been prepared in accordance with the provisions of the EC SDS Directive 91/155.